	В	lits	Search Text	DBs
1	2		authenticat\$4 and (@pd < "20000515" or @ad < "20000515")	
2	10		authenticat\$4.ab. and (@pd < "20000515" or @ad < "20000515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1	.253	S2 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
) 4	7	9	S3 and purchase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1		S3 and teminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	5	17	S3 and terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	5	17	53 and terminals1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	:73	IS / and (mobile NEAR3 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	2		S8 and (receiving NEAR3 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	<b>o</b> 9	)	S9 and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
1	<b>1</b> 6	5	S8 and card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	<b>2</b> 2	9	ISII ANG COLINIAY	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	<b>3</b> $\begin{bmatrix} 1 \\ 0 \end{bmatrix}$		authenticat\$4.ab. and (@pd < "20000515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	<b>4</b> 1	253	S13 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	<b>5</b> 5	17	IST4 and rerminalSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	<b>6</b> 2	73	ISIS AND (MODILE NEARS FERMINAL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	<b>7</b> 6	5	Sib and card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	<b>8</b> 2	9	SI/ and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
1	9 1	0	SIX AND ICAYO NEARY CYEDITI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	<b>0</b> 7		SIM AND DATADASE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

كالتقمما

*( ,* 

"

11

N

مم

	Hits	Search Text	DBs
21	66	S16 and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	10	S21 and (card NEAR3 credit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	7	S22 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	7	S23 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	3	S24 and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	33	S16 and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	94	S16 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	23	S27 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	15	S27 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	17	"23" and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	13	S29 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	3	S31 and (credit near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	4	S32 and (credit near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	2	S34 and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35		S34 and (location or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	33	S14 and (terminal same (location or address) same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	19	S37 and cellular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	6	S38 and (credit NEAR3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39		S39 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	1	S14 and (terminal same (location or address) same (database or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
41		authenticat\$4.ab. and (@pd < "20000515")	l
42	1253	S42 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	1	S43 and (terminal same (location or address) same (database or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	517	S43 and terminal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	273	S46 and (mobile NEAR3 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	33	S47 and transaction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	23	S48 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	13	S49 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
49	4	S50 and (credit near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	73	S44 and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	4	S51 and authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	4	S52 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

and I